

PROJECT NAME : Collagen CLR



FORMULA NAME : Anti-Wrinkle Cream OW

TRIAL CODE : 144.008.07

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	57.65
A	Rheocare XGN	Xanthan Gum	BASF	0.30
B	Tego Care 450 MB	Polyglyceryl-3 Methylglucose Distearate	Evonik	3.00
B	Tego Alkanol 1618 MB	Cetearyl Alcohol	Evonik	2.00
B	Tegin M Pellets MB	Glyceryl Stearate	Evonik	1.50
B	Eumulgin SG	Sodium Stearoyl Glutamate	BASF	0.50
B	Cetiol C 5C	Coco-Caprylate/Caprate	BASF	8.00
B	Cetiol OE	Dicaprylyl Ether	BASF	5.00
B	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	3.00
C	MPC™ - Milk Peptide Complex	Whey Protein	CLR	0.50
C	Deionized Water	Water	N.A.	9.50
D	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
D	Collagen CLR	Soluble Collagen	CLR	5.00
D	Geogard 221	Dehydroacetic Acid Benzyl Alcohol	Lonza	0.80
E	NaOH (10%)	Water Sodium Hydroxide	N.A.	0.25
				100.00

Operating Instructions

Mix A and stir until uniform, heat up A and B separately to 80°C. Add A to B and homogenize for 2 minutes with Ultra Turrax. Cool down under stirring. Premix C and add at room temperature to AB, homogenize again for a short time. Add D in this order. Adjust pH value to 6-7 with E.

Directions for use:

Apply on the face and gently rub into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com