

PROJECT NAME : DayMoist CLR™



FORMULA NAME : Super Moisturizer

TRIAL CODE : 148.003.01

<b>Phase</b>	<b>Material Name</b>	<b>US INCI</b>	<b>Supplier</b>	<b>% Material</b>
A	Deionized Water	Water	N.A.	75.77
A	Keltrol CG-SFT	Xanthan Gum	CP Kelco	1.00
A	Carbopol Ultrez 21	Acrylates/C10-30 Alkyl Acrylate Crosspolymer	Lubrizol	0.20
B	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	10.00
B	Tegosoft OS	Ethylhexyl Stearate	Evonik	8.00
C	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Schuelke	0.80
C	<b>DayMoist CLR™</b>	Water Hydrolyzed Corn Starch Beta Vulgaris (Beet) Root Extract	CLR	3.00
D	NaOH (10%)	Water Sodium Hydroxide	N.A.	1.23
				<b>100.00</b>

#### **Operating Instructions**

Mix A in the given order, one after another and stir until completely soaked. Add A to B while stirring. Homogenize for 3 minutes and add C. Stir until uniform and adjust pH value to 5.5 with D.

Directions for use:

Apply on the face and gently rub in until absorbed.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)