

PROJECT NAME : MultiMoist CLR™



FORMULA NAME : No Silicone Conditioner 5in1 OW

TRIAL CODE : 385.014.15

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	88.45
A	Tego Care CG 90 MB	Cetearyl Glucoside	Evonik	0.50
B	Dehyquart F 75 T	Distearoylethyl Hydroxyethylmonium Methosulfate Cetearyl Alcohol	BASF	2.00
B	Lanette O MB	Cetearyl Alcohol	BASF	3.00
B	Cetiol C 5	Coco-Caprylate	BASF	3.00
B	Copherol F 1300 C	Tocopherol	BASF	0.10
C	<b>Vitamin F forte</b>	Linoleic Acid Linolenic Acid	CLR	1.00
C	<b>MultiMoist CLR™</b>	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	1.00
C	Microcare SB	Water Sodium Benzoate Potassium Sorbate	THOR	0.80
D	Lactic Acid (80%)	Lactic Acid Water	N.A.	0.15
				<b>100.00</b>

#### ***Operating Instructions***

Mix A and B separately, heat up to 80°C. Add A to B and homogenize 2 minutes using an Ultra Turrax. Cool down under medium stirring and add phase C, homogenize again for 1-2 minutes. Adjust pH value to 4.5-5 with D.

Directions for use:

Apply a liberal amount of conditioner on wet hair from roots to the ends. Leave in at least 1-2 minutes. Rinse well.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)