



Lab Formula INCI Supplier

Phase	Material Name	Mixed INCI	Supplier	% Material
A	Abil EM 90	Cetyl PEG/PPG-10/1 Dimethicone	Evonik	2.50
A	Hydriol PGI	Polyglyceryl-4 Isostearate	Hydriol	2.00
A	MOD MB	Octyldodecyl Myristate	Gattefossé	5.00
A	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	4.00
A	Tocomix L50-IP	Tocopherol Helianthus Annuus (Sunflower) Seed Oil	Jan Dekker	0.30
A	LexFeel WOW	Triheptanoin C13-16 Isoparaffin	INOLEX	10.00
A	Unipure White LC 981 HLC	Titanium Dioxide (CI 77891)	Sensient	1.70
A	Unipure Yellow LC 182 HLC	Iron Oxides (CI 77492)	Sensient	0.25
A	Unipure Red LC 381 HLC	Iron Oxides (CI 77491)	Sensient	0.15
A	Unipure Black LC 989 HLC	Iron Oxides (CI 77499)	Sensient	0.10
A	Rheobyk 7590	Trihydroxystearin	Eckart	1.00
B	Deionized Water	Water	N.A.	53.70
B	Glycerin 86%	Glycerin Water	Gustav Heess	2.00
C	Rewopal PIB 1000	Polyisobutene	Evonik	0.50
C	Ecofil B110	Hydroxybutyric Acid/Hydroxypentanoic Acid Copolymer	Eckart	5.00
C	SynCrystal Ivory	Synthetic Fluorophlogopite Titanium Dioxide (CI 77891) Iron Oxides (CI 77491) Tin Oxide	Eckart	2.00
C	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
C	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
C	AnnonaSense CLR™	Annona Cherimola Fruit Extract	CLR	3.00
C	Perfume	Fragrance	N.A.	0.10
C	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Schuelke	0.70
				100.00

Operating instructions

Operating Instructions

Disperse A using high shear. Heat up A to 60/65°C. Add B slowly to A and stir until homogeneous. Add C step by step.

Directions for use:

Apply as a last step in your skincare regimen. Take a pea sized amount and gently massage into the skin.

*developed & produced by Eckart; www.eckart.net

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com