

PROJECT NAME : Phytosan™ K



FORMULA NAME : Anti-Aging After Sun Lotion OW

TRIAL CODE : 417.010.02A

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	76.19
A	Glycerin 86%	Glycerin Water	Gustav Heess	3.00
A	Dissolvine GL-38	Tetrasodium Glutamate Diacetate Water Sodium Hydroxide	Nouryon	0.06
A	Rheocare XGN	Xanthan Gum	BASF	0.80
B	Eumulgin SG	Sodium Stearoyl Glutamate	BASF	0.40
B	Lanette O MB	Cetearyl Alcohol	BASF	0.50
B	Cutina HVG	Hydrogenated Vegetable Glycerides	BASF	2.00
B	Cetiol C 5	Coco-Caprylate	BASF	3.00
B	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	4.00
B	Cetiol LC	Coco-Caprylate/Caprates	BASF	4.00
C	Geogard 221	Dehydroacetic Acid Benzyl Alcohol	Lonza	0.80
D	Phytosan™ K	Water Glycerin Glycine Soja (Soybean) Seed Extract	CLR	5.00
E	Perfume Summer natural	Fragrance	VOEGELE	0.25
				100.00

Operating Instructions

Mix A and predisperse until homogeneous. Heat up A and B to 80°C separately. Add A to B and homogenize for 3 minutes by Ultra Turrax. Cool down while stirring and add C & D in the given order. Add E as desired and stir until homogeneous.

Directions for use:

Apply on the whole body after shower or sunbath and gently rub into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com