

PROJECT NAME : Repair Complex CLR™ PF



FORMULA NAME : Smart Sleeping Mask OW

TRIAL CODE : 431.010.05

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Emulgade PL 68/50	Cetearyl Alcohol Cetearyl Glucoside	BASF	6.00
A	Cutina GMS-V	Glyceryl Stearate	BASF	2.00
A	Eumulgin SG	Sodium Stearoyl Glutamate	BASF	0.50
A	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	5.00
A	Cetiol CC	Dicaprylyl Carbonate	BASF	5.00
A	Cetiol 868	Ethylhexyl Stearate	BASF	4.00
A	Copherol F 1300 C	Tocopherol	BASF	0.05
A	Abil 350	Dimethicone	Evonik	0.50
A	Cosmedia SP	Sodium Polyacrylate	BASF	0.50
B	Deionized Water	Water	N.A.	65.35
B	EDETA B Powder	Tetrasodium EDTA	BASF	0.30
C	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Schuelke	0.80
C	Repair Complex CLR™ PF	Bifida Ferment Lysate	CLR	5.00
C	Phytosan™ K	Water Glycerin Glycine Soja (Soybean) Seed Extract	CLR	5.00
				100.00

Operating Instructions

Heat up A and B to 80–85°C separately. Add B to A while stirring. Homogenize for 3 minutes by Ultra Turrax. Cool down and stir slowly. Add C in the given order below 30°C and stir until uniform. Adjust pH value to 6 if necessary.

Directions for use:

Take a pea-sized drop of the cream and gently massage into the skin before going to bed.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com