

PROJECT NAME : Vitamin F forte



FORMULA NAME : Hand Gel with 1% Vitamin F forte & 3% SyriCalm CLR (PC)

TRIAL CODE : 950.030.04A

### Lab Formula INCI Supplier

| <i>Phase</i> | <i>Material Name</i>                 | <i>Mixed INCI</i>   | <i>Supplier</i>  | <i>% Material</i> |
|--------------|--------------------------------------|---|------------------|-------------------|
| A            | Deionized Water                      | Water   | N.A.             | 44.89             |
| A            | Eumulgin L                           | PPG-1-PEG-9 Lauryl Glycol Ether                             | BASF             | 2.00              |
| A            | <b>Vitamin F forte</b>               | Linoleic Acid<br>Linolenic Acid                             | CLR              | 1.00              |
| A            | D-Delta-Rich Tocopherols Concentrate | Tocopherol  | Tama Biochemical | 0.01              |
| A            | NaOH (32%)                           | Water<br>Sodium Hydroxide                                   | N.A.             | 0.10              |
| A            | <b>SyriCalm™ CLR (PC)</b>            | Water<br>Phragmites Communis Extract<br>Poria Cocos Extract | CLR              | 3.00              |
| B            | Aristoflex Velvet                    | Polyacrylate Crosspolymer-11                                | Clariant         | 1.00              |
| C            | Ethanol (99.2%)                      | Alcohol   | Merck            | 48.00             |
| D            | Perfume Pomegranate, colorless       | Fragrance   | Frey+Lau         | q.s.              |
| D            | Puricolor Red FRE1 FDA (0.1%)        | Water<br>Red 30 (CI 73360)                                  | BASF             | q.s.              |
|              |                                      |   |                  | <b>100.00</b>     |

### Operating instructions

#### *Operating Instructions*

Mix the ingredients in the given order and adjust pH value ~6,7. Add B and stir until uniform. Slowly add C and stir until clear and homogenous. Add D as desired.

#### Directions for Use:

Take a hazelnut amount in the palm of one hand. Rub your hands together, covering your entire hand, including between your fingers until the gel is completely dried.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)